Carl Moyer Memorial Air Quality Standards Attainment Program Stationary Agricultural Engine Replacement and/or Retrofit Funding

General

As of August 8, 2011 the Bay Area Air Quality Management District (District) will accept applications for the Carl Moyer Program on a first-come first-served basis. The purpose of the program is to provide funding to replace or retrofit heavy-duty diesel engines with lower-polluting engines and equipment.

Apply on-line at www.baaqmd.gov/moyer

Eligible Agricultural Projects

Eligible agricultural projects can receive up to the following CMP grant funding, covering a percentage of the total cost of the replacement engine or equipment, and installation:

- 1. Diesel to Diesel stationary agricultural engine replacement projects 85% (Tier 3 and 4 only)
- 2. Installing ARB-Verified retrofit devices on Diesel stationary equipment 100%
- 3. Certified Spark Ignition (SI) engine replacement- 85%
- 4. Diesel to Electric stationary engine / equipment replacement projects 85%
- 5. Electric Motor New Purchase 20%
- 6. Non-Engine Agricultural Use Projects Case by Case basis

Who can apply?

Owners of mobile engines and stationary and portable engines with more than 25 horsepower are eligible for grants. All vehicles and equipment funded with a grant must operate within the Air District's boundaries. **Priority will be given to projects that reduce emissions in highly impacted communities. Highest priority will be given to the following six highly impacted communities:** 1) Concord, 2) Richmond/San Pablo, 3) Western Alameda County, 4) San Jose, 5) Redwood City/East Palo Alto, and 6) Eastern San Francisco. For a Priority Community Map of highly impacted communities in the Bay Area, see: http://www.baaqmd.gov/moyer.

The following counties are part of the Air District's jurisdiction: Alameda, Contra Costa, Marin, San Mateo, San Francisco, Santa Clara, and Napa counties. The southern portions of Solano and Sonoma counties are also part of the Air District.

What can I do now, before I start my application?

- Read the Air District Carl Moyer Program Overview Fact Sheet for rules that apply to all project types available from the Air District and online at http://www.baaqmd.gov/moyer.
- Understand any applicable regulations may apply to your equipment
- Start collecting information needed for your application.
- Contact your engine or equipment dealer to discuss possibilities for your equipment.
- Review the California Air Resources Board (ARB) 2008 Carl Moyer Program Guidelines Chapter Ten "Agricultural Sources". The Guidelines are on the ARB webpage http://www.arb.ca.gov/msprog/moyer/moyer.htm.
- Contact the Air District with any additional questions.

If you have any questions regarding this program or the application process, please contact Stacy Shull by phone at (415) 749-4955 or by e-mail at: sshull@baaqmd.gov

Carl Moyer Program AGRICULTURE Quick-Reference Guide

For questions or more information, please contact Stacy Shull, Grant Analyst for CMP marine, sshull@baaqmd.gov or 415-749-4955

Eligible Projects an	Eligible Projects and Costs				
Eligible Agricultural Equipment	 In-Use Stationary and Portable diesel engines 25 hp and greater Diesel Engines 50 hp and greater must be registered with the BAAQMD in order to be eligible for funding. Register engines here: http://www.baaqmd.gov/ag_diesel Limited use stationary compression ignition (diesel) engines qualifying for an alternative compliance plan under Regulation 11 Rule 17. Contact Guy Gimlen for more details 415 749-4734 				
Eligible Agricultural Projects	 Repower: Replace In Use engine with New Electric Motors New diesel engine that meets applicable emission standards New Spark-Ignited engine that meets applicable emission standards Retrofit: Retrofit devices include selective catalytic reduction devices, diesel oxidation catalysts or diesel particulate filters New Equipment Purchase 				
Eligible Agricultural Costs	 The capital cost of the new engine. Tax and transport for eligible parts or costs. Labor for installation of or modification to parts eligible for funding. Electric Motors and Equipment: Capital cost of new motor Peripheral equipment associated with electric motor projects (control panel, motor leads, service pole with guy wire, connecting electric line from the meter) New Electric Equipment costs 				
Project Requirements					
Minimum project life and contract term	At least 1 year for engines subject to the Stationary Diesel Engine Air Toxic Control Measure (ATCM). If a longer project life is feasible (ex: low usage engines that qualify for alternative compliance plan), the minimum project life should be 3 years.				
Surplus Emission Reductions	The project must be complete (engine installed and operational) at least 1 year prior to the associated ATCM compliance date or within three years of the ARB rule adoption date. See table 10-2 and 10-3 for compliance schedule				
	See table 10-2 and 10-3 for compliance schedule				
What if I can't replace my engine 1 year before the ATCM compliance date?	See table 10-2 and 10-3 for compliance schedule Still Apply! The District has an Agricultural Assistance program to help those that need longer project lives to achieve cost effective projects or can't meet the 1 year surplus requirement.				
replace my engine 1 year before the ATCM compliance	See table 10-2 and 10-3 for compliance schedule Still Apply! The District has an Agricultural Assistance program to help those that need longer project lives to achieve cost effective projects or can't meet the 1 year surplus				
replace my engine 1 year before the ATCM compliance date? Carl Moyer program pays for a percentage	See table 10-2 and 10-3 for compliance schedule Still Apply! The District has an Agricultural Assistance program to help those that need longer project lives to achieve cost effective projects or can't meet the 1 year surplus requirement. - Tier 3 and 4 Repower – 85 percent - Certified SI engine Repower – 85 percent - Electric motor repower – 85 percent - Electric motor new purchase – 20 percent				
replace my engine 1 year before the ATCM compliance date? Carl Moyer program pays for a percentage of project costs	See table 10-2 and 10-3 for compliance schedule Still Apply! The District has an Agricultural Assistance program to help those that need longer project lives to achieve cost effective projects or can't meet the 1 year surplus requirement. - Tier 3 and 4 Repower – 85 percent - Certified SI engine Repower – 85 percent - Electric motor repower – 85 percent - Electric motor new purchase – 20 percent - Retrofit device – 100 percent Projects must meet a cost-effectiveness of \$16,640 per weighted ton of NOx, ROG and PM10 reduced to be eligible - Must be operated within the Districts boundaries - All operation hours must be tracked by a functioning hour meter				

Agricultural In-Use Stationary Diesel Air Toxic Control Measure (ATCM)	The ATCM requires the replacement or retrofit of older in-use diesel engines with cleaner burning models over a period of 3 to 12 years. The compliance date is dependent upon the size of the Tier of the engine. - In-Use uncontrolled engines have the earliest compliance date - All new engines 50 hp and greater must certify to meet U.S. EPA Tier 3 or cleaner emission standards - Engines less than 50 hp do not need to meet emission standards Air District Regulation 11, Rule 17
Do I qualify for Low Usage Alternative Compliance Plan?	The Air District's new rule was adopted to provide an extension of the State regulation's compliance deadlines for certain low-use agricultural engines, while achieving greater emissions reductions in the long-term. Regulation 11, Rule 17 provides an Alternate Compliance Plan for low-use agricultural diesel engines. The Alternate Compliance Plan will: - For Tier 0 and Tier 1 engines, extend the compliance deadline to December 31, 2020 - For Tier 2 engines, extend the compliance deadline to December 31, 2025 - Require that each Tier 0, Tier 1, or Tier 2 engine be replaced with an engine meeting Tier 4 emissions standards, or the lowest emissions engine available at the time of replacement. You must apply and qualify for the Alternate Compliance Plan (by December 31st 2011) to be subject to the extended compliance deadlines. To qualify for the Alternate Compliance Plan, an engine must: - Be used exclusively for an agricultural operation - Be registered in the Air District's Agricultural Diesel Engine Registration Program - Be equipped with a non-resettable hour meter - Be used less than 100 hours per (one-year) registration renewal period averaged over any consecutive three registration renewal periods, and must not exceed 150 hours in any registration renewal period - Be located more than 1,000 feet from housing, schools or health care facilities, OR conduct a Health Risk Screening Analysis to demonstrate that site-specific and cumulative cancer risks and PM2.5 ground level concentrations meet required limits
Engine Registration Requirements	State regulations require that owners and operators of existing agricultural diesel engines rated at greater than 50 hp , register their engines with the Air District by March 1, 2008. Register your engines here www.baaqmd.gov/ag_diesel .

Table 1

What Tier is my engine?

Engine Power (hp)	Manufacture	Tier
	Year	
	Pre 1998	Tier 0
$50 \ge hp < 75$	1998 ² - 2003	Tier 1
	2004 - 2007	Tier 2
	Pre 1998	Tier 0
$75 \ge hp < 100$	1998 ² - 2003	Tier 1
	2004 - 2007	Tier 2
	Pre 1997	Tier 0
$100 \ge hp < 175$	1997 ² - 2002	Tier 1
-	2003 - 2006	Tier 2
	Pre 1996	Tier 0
$175 \ge hp < 300$	1996 ² - 2002	Tier 1
_	2003 - 2005	Tier 2
	Pre 1996	Tier 0
$300 \ge hp < 600$	1996 ² - 2000	Tier 1
_	2001 - 2005	Tier 2
	Pre 1996	Tier 0
$600 \ge hp \le 750$	1996 ² - 2001	Tier 1
-	2002 - 2005	Tier 2
	Pre 2000	Tier 0
hp > 750	2000^2 - 2005	Tier 1
-	2006 - 2010	Tier 2

When do I need to replace my engine?

(please note that this compliance schedule applies to all engines that do not qualify for a low usage alternative compliance plans or do not apply for the extension by the deadline (December 31, 2011)

Table 10-2

Non-certified In-Use Stationary Diesel Agricultural Engine Emission Limits Compliance Date Off-Road CI certification Horsepower Diesel PM Range Not to Standard Exceed (g/bhp-hr) > 50 to 99 hp December 31, 2011 0.30 Tier 3 or Interim Tier 4 December 31, 2010 100 to 174 hp 0.22 Tier 3 175 to 750 hp 0.15 Tier 3 December 31, 2010 > 750 hp December 31, 2014 0.075 Tier 4

Table 10-3
Tier 1 and Tier 2-certified In-Use Stationary Diesel Agricultural Engine
Emission Limits

Horsepower	Compliance Date	Diesel PM	Off-Road CI certification			
Range		Not to	Standard			
		Exceed				
		(g/bhp-hr)				
> 50 to 75 hp	December 31, 2015*	0.02	Tier 4			
75 to 174 hp	December 31, 2015*	0.01	Tier 4			
175 to 750 hp	December 31, 2014*	0.01	Tier 4			
> 750 hp	December 31, 2014*	0.075	Tier 4			
* Or 12 years after the date of initial installation, whichever is later						